

**Notes:**

- the order of the fields must not be changed.
- Please only one document per file.
- Decimal separator is the dot.
- **Mandatory field**

**<ntg>** Top node that encloses the entire message

<b>&lt;header&gt;</b>	Header information of the message
<b>&lt;sendergln&gt;</b>	GLN of the transmitter
<b>&lt;receivergln&gt;</b>	GLN of the recipient
<b>&lt;sendingdate&gt;</b>	Date of creation of the document YYMMDD
<b>&lt;sendingtime&gt;</b>	Time the document was created HHMM
<b>&lt;istest&gt;</b>	Test indicator 1=Test; empty/0 No test
<b>&lt;/header&gt;</b>	

**<document documenttypename="PRICAT" documentqualifier="9">** Document node  
documenttype name is fixed "PRICAT"  
documentqualifier is fixed "9"

<b>&lt;sellercontact&gt;</b>	Supplier information
<b>&lt;gln&gt;</b>	GLN of the supplier
<b>&lt;enterprisename&gt;</b>	Company name
<b>&lt;personname&gt;</b>	Name of a contact person
<b>&lt;addressline1&gt;</b>	Address/street
<b>&lt;addressline2&gt;</b>	Address/street/additional address

## XML Interface description

### PRICAT

<addressline3>	Address/street/additional address
<addressline4>	Address/street/additional address
<postalcode>	POSTAL CODE
<city>	Town
<countrycode>	Country code
<telephone>	Telephone number
<fax>	Fax number
<email>	Email address
<suppliernumber>	Customer number at supplier
<buyernumber>	Customer number of the retailer
<bankcode>	BIC of the respective bank
<bankname>	Name of the bank
<accountnumber>	Account number
<accountowner>	Account holder
<fiscalid>	Tax number at the tax office
<taxnumber>	Sales tax number
<b>&lt;/sellercontact&gt;</b>	

<b>&lt;buyercontact&gt;</b>	Information about the retailer
<b>&lt;gln&gt;</b>	GLN of the order address
<enterprisename>	Company name
<personname>	Name of a contact person
<addressline1>	Address/street
<addressline2>	Address/street/additional address
<addressline3>	Address/street/additional address
<addressline4>	Address/street/additional address
<postalcode>	POSTAL CODE
<city>	Town
<countrycode>	Country code
<telephone>	Telephone number
<fax>	Fax number
<email>	Email address
<suppliernumber>	Customer number at supplier
<buyernumber>	Dealer customer number

## XML Interface description PRICAT

<fiscalid>	Tax number at the tax office
<taxnumber>	Sales tax number
</buyercontact>	
<documentnumber>	Number of the document
<documentdate>	Date of the document (YYYYMMDD)
<items>	Positions
<item>	Item number
<properties>	Properties
<property>	Property
<qualifier>	NTG-P Qualifier. See code list
<value>	Value
<unitcode>	Is used if a unit of measurement is required
</property>	
</properties>	
</item>	
</items>	
</document>	
</ntg>	

Description	Format	NTG-P-Field Code	Note
GLN Supplier	n13	NTG-P-001	
GLN Producer	n13	NTG-P-003	
producer name	an35	NTG-P-004	
EAN/GTIN/UPC number	n14	NTG-P-007	
BambergerCode  (Code list Bamberg directory)  <a href="https://www.network-toys.de/Downloads/">https://www.network-toys.de/Downloads/</a>  see file: Article Data Codes Lists	an4	NTG-P-008	
minimum order quantity	n15	NTG-P-009	
brand name	an35	NTG-P-010	
smallest packaging unit whole sale	n15	NTG-P-011	
smallest packaging unit retail sale	n15	NTG-P-012	
article number (supplier)	an35	NTG-P-013	
article number (producer)	an35	NTG-P-014	
article name	an250	NTG-P-015	
assortment article  J = Yes N = No	an1	NTG-P-016	
external group of goods	an35	NTG-P-017	
sales unit  J = Yes (means single article) N = No (means display)	an1	NTG-P-018	
kind of sales packaging	an70	NTG-P-019	
GPC-Code	n8	NTG-P-020	
recommended accessories	n13	NTG-P-021	
previous article	n13	NTG-P-023	
sub brand	an35	NTG-P-024	
own brand  J = Yes N = No	an1	NTG-P-025	
article belongs to main article	n14	NTG-P-027	
package content	n18	NTG-P-028	Unit in field <unitcode>
quantity of components	n15	NTG-P-030	
length of piece (packed) in cm	n18	NTG-P-031	Unit in field <unitcode>
width of piece (packed) in cm	n18	NTG-P-032	Unit in field <unitcode>
height of piece (packed) in cm	n18	NTG-P-033	Unit in field <unitcode>
weight of piece (packed)	n18	NTG-P-034	Unit in field <unitcode>
piece volume (packed) in cm <sup>3</sup>	n18	NTG-P-036	Unit in field <unitcode>
piece - unit of weight (unpacked)	n18	NTG-P-037	Unit in field <unitcode>
length of piece (unpacked) in cm	n18	NTG-P-038	Unit in field <unitcode>
width of piece (unpacked) in cm	n18	NTG-P-039	Unit in field <unitcode>
height of piece (unpacked) in cm	n18	NTG-P-040	Unit in field <unitcode>
tare weight glass	n18	NTG-P-041	Unit in field <unitcode>
tare weight tin plate	n18	NTG-P-042	Unit in field <unitcode>
tare weight aluminium / other metals	n18	NTG-P-043	Unit in field <unitcode>
tare weight natural materials	n18	NTG-P-044	Unit in field <unitcode>
tare weight plastic	n18	NTG-P-045	Unit in field <unitcode>
tare weight paper	n18	NTG-P-046	Unit in field <unitcode>
tare weight carton compounds	n18	NTG-P-047	Unit in field <unitcode>
tare weight other compounds	n18	NTG-P-048	Unit in field <unitcode>
EAN/GTIN/UPC packaging	n14	NTG-P-050	
weight of outer carton (in KG)	n18	NTG-P-051	Unit in field <unitcode>
length of outer carton	n18	NTG-P-052	Unit in field <unitcode>
width of outer carton	n18	NTG-P-053	Unit in field <unitcode>
height of outer carton	n18	NTG-P-054	Unit in field <unitcode>
volume of outer carton	n18	NTG-P-055	Unit in field <unitcode>
pieces in transport carton	n15	NTG-P-056	
quantity in outer carton	n15	NTG-P-057	
quantity on pallet	n15	NTG-P-058	
quantity on C20	n15	NTG-P-059	
quantity on C40	n15	NTG-P-060	
quantity on CHI	n15	NTG-P-061	
quantity in truck	n15	NTG-P-062	
bulky goods  J = Yes N = No	an1	NTG-P-063	
number of quantity packages	n15	NTG-P-064	
marking „conveyable“  J = Yes N = No	an1	NTG-P-065	
regular delivery time in days (all days, including Sundays)	n3	NTG-P-066	
MSRP (manufacturer's suggested retail price)	an15	NTG-P-067	
VAT – Value added tax	n5	NTG-P-068	
currency	an3	NTG-P-069	
price fixing  J = Yes N = No	an1	NTG-P-070	
predetermined price	an10	NTG-P-071	
date of publication  DD.MM.YYYY 20.05.2015	an10	NTG-P-073	

Starting date of availability (available from)			
DD.MM.YYYY 20.05.2015	an10	NTG-P-074	
Availability sending date (available up to)			
DD.MM.YYYY 20.05.2015	an10	NTG-P-075	
net price (whole sale)	an18	NTG-P-076	
gender			
m = male w = female u = unisex	an1	NTG-P-077	
age rating	an3	NTG-P-078	Unit in field <unitcode>
recommended minimum age			
(please note unit in NTG-P-192)	n4	NTG-P-079	Unit in field <unitcode>
recommended maximum age			
(please note unit in NTG-P-193)	n4	NTG-P-080	Unit in field <unitcode>
number of players minimum	n3	NTG-P-081	
number of players maximum	n3	NTG-P-082	
playing time	an35	NTG-P-083	
minimum weight child (in KG)	n3	NTG-P-085	
maximum weight child (in KG)	n3	NTG-P-086	
scale	an35	NTG-P-087	
colors	an100	NTG-P-088	
customs tariff number	n11	NTG-P-089	
license	an1000	NTG-P-090	
clothing size	an35		
(before: size)		NTG-P-091	
range description	an35	NTG-P-092	
trademark / copyright	an35	NTG-P-093	
collection name	an35	NTG-P-094	
DVD regional code	an3	NTG-P-095	
editor / publisher	an35	NTG-P-096	
country of origin			
(code list for countries)	an2	NTG-P-097	
material code	n15	NTG-P-098	
material description	an250	NTG-P-099	
series code	n15	NTG-P-100	
series description	an35	NTG-P-101	
sales program code	n15	NTG-P-102	
sales program description	an35	NTG-P-103	
marking ICTI			
J = Yes N = No	an1	NTG-P-104	
battery necessary			
J = Yes N = No			
further batteries: starting with field NTG-P-182	an1	NTG-P-105	
battery included			
J = Yes N = No	an1	NTG-P-106	
quantity of batteries included	n15	NTG-P-107	
quantity of batteries needed	n15	NTG-P-108	
battery description1	an35	NTG-P-109	
battery format/code1			
(allowed code: IEC, ANSI or Common)	an7	NTG-P-110	
battery weight1	n18		
(please note unit in NTG-P-308)		NTG-P-111	
battery rechargeable1			
J = Yes N = No	an1	NTG-P-112	
electric waste			
J = Yes N = No	an1	NTG-P-113	
WEEE dangerous goods			
J = Yes N = No	an1	NTG-P-114	
WEEE obligation			
(before: WEEE electrical device)			
J = Yes N = No	an1	NTG-P-115	
WEEE device code, country code	an2		
(not in use; selection via import settings)		NTG-P-116	
WEEE device category	n1	NTG-P-118	
WEEE type of category	n15	NTG-P-119	
WEEE category description	an35	NTG-P-120	
dangerous goods code	an7	NTG-P-121	
VOC (mg)	n15	NTG-P-123	
VOC (%)	n15	NTG-P-124	

eco label	an35	NTG-P-125	
CE - marking and regulation			
J = Yes N = No	an1	NTG-P-126	
CE - guideline	an35	NTG-P-127	
TÜV - valid until	an10		
DD.MM.YYYY 20.05.2015		NTG-P-128	
TÜV - test center	an35	NTG-P-129	
GS - valid until	an10		
DD.MM.YYYY 20.05.2015		NTG-P-130	
GS - test center	an35	NTG-P-131	
MHD marking	n15	NTG-P-132	
garantie	an35	NTG-P-133	
Green Dot mark			
J = Yes N = No	an1	NTG-P-134	
safety information	an200	NTG-P-135	
warning	an5000	NTG-P-136	
textile identification	an300	NTG-P-137	
care labelling	an300	NTG-P-138	
design	an35	NTG-P-140	
textile identification 1-5 content	an300	NTG-P-141	
textile identification 1-5 code	an35	NTG-P-142	
ABC marking			
A = high consumption B = medium consumption C = low consumption	an1	NTG-P-143	
temperature marking	an3	NTG-P-145	
season	an35	NTG-P-146	
no label print	an1		
J = Yes N = No		NTG-P-147	
name - award1	an35	NTG-P-148	
date - award1			
DD.MM.YYYY 20.05.2015	an10	NTG-P-149	
name - award2	an35	NTG-P-150	
date - award2			
DD.MM.YYYY 20.05.2015	an10	NTG-P-151	
name - award3	an35	NTG-P-152	
date - award3			
DD.MM.YYYY 20.05.2015	an10	NTG-P-153	
item description of the trader	an35	NTG-P-154	
description of function	an4000	NTG-P-155	
B2C text (final consumer)	an6000		
(before: basic data text)		NTG-P-156	
sales text	an6000	NTG-P-157	
check text	an6000	NTG-P-158	
items in online portals	an200	NTG-P-160	
name of the image files: unpacked product	an1000	NTG-P-161	
country code	an3	NTG-P-162	
marking "saleable" (please use „code list countries“)	an1	NTG-P-164	
language versions of service manuals	an500		
please use code list countries (e.g. DE, FR, AT, CH, ... a.s.o. - separated by comma)		NTG-P-165	
language versions warnings	an200		
please use code list countries (e.g. DE, FR, AT, CH, ... a.s.o. - separated by comma)		NTG-P-166	
quantity per pallet layer	n15	NTG-P-167	
name of the image files: perspective packaging / 3D	an1000	NTG-P-168	
name of the image files: front view of packaging / planogram view / 2D	an1000	NTG-P-169	
name of the image files: product and packaging on a picture	an1000	NTG-P-170	
name of the image files: display image	an1000	NTG-P-171	
name of the image files: product with person / child	an1000	NTG-P-172	
name of the image files: product with environment (without person / child)	an1000	NTG-P-173	
name of the image files: rear view of packaging (2D or 3D)	an1000	NTG-P-174	
name of the media file: company logo	an500	NTG-P-175	
name of the media file: brand logo	an500	NTG-P-176	
name of the media file: license logo	an500	NTG-P-177	
name of the pdf file: product specification sheet	an500	NTG-P-178	
name of the pdf file: instruction manual	an500	NTG-P-179	
name of the pdf file: material safety data sheet	an500	NTG-P-180	
battery description2	an35	NTG-P-182	
battery format/code2	an7		
(allowed code: IEC, ANSI or Common)		NTG-P-183	
battery weight2	n18		
(please note unit in NTG-P-308)		NTG-P-184	

battery rechargeable2 J = Yes N = No	an1	NTG-P-185	
magnets which could be swallowed J = Yes N = No	an1	NTG-P-186	
WEEE share in grams (before: electric waste share in gr)	n18	NTG-P-187	
alternative article number	an35	NTG-P-188	
reference value	n15	NTG-P-189	
power efficiency classification: power efficiency category allowed values: A+++, A++, A+, A, B, C, D, E	an4	NTG-P-191	
saleable for please use code list countries (e.g. DE, FR, AT, CH, ... a.s.o. - separated by comma)	an200	NTG-P-194	
label	an35	NTG-P-195	
average delivery time (days) (working days Monday to Friday)	n3	NTG-P-196	
charged freight costs	n15	NTG-P-197	
distribution by Allowed values: Brief (letter) Paket (parcel) Sperrgut (Bulky goods) Stueckgut (General cargo)	an35	NTG-P-198	
palette measurement length (please note unit in NTG-P-215)	n18	NTG-P-199	Unit in field <unitcode>
palette measurement height (please note unit in NTG-P-215)	n18	NTG-P-200	Unit in field <unitcode>
palette measurement width (please note unit in NTG-P-215)	n18	NTG-P-201	Unit in field <unitcode>
languages at the packaging allowed values: Please note code list „countries“	an200	NTG-P-202	
article description for Busch data (max. length = 29 letters)	an29	NTG-P-203	
carrying capacity max. (Unit in NTG-P-272)	n18	NTG-P-204	Unit in field <unitcode>
diameter (please note unit in NTG-P-213)	n18	NTG-P-205	Unit in field <unitcode>
function light J = Yes N = No	an1	NTG-P-206	
function sound J = Yes N = No	an1	NTG-P-207	
function music J = Yes N = No	an1	NTG-P-208	
status of the article 1 – new 2 – delete 3 – update 4 – invisible (5) – unchanged	an35	NTG-P-210	
power efficiency classification existing J = Yes N = No	an1	NTG-P-211	
GTIN outer carton (retail trade)	n14	NTG-P-216	
sale from B2B DD.MM.YYYY 20.05.2015	an10	NTG-P-218	
sale from DD.MM.YYYY 20.05.2015	an10	NTG-P-219	
advertisement from ab B2C DD.MM.YYYY 20.05.2015	an10	NTG-P-220	
sale from B2C (Street Date) DD.MM.YYYY 20.05.2015	an10	NTG-P-221	
GRS number (according to batteries)	an35	NTG-P-222	
WEEE registration number	an12	NTG-P-223	

GGVS article (dangerous goods)J = Yes N = No	an1	NTG-P-224	
artitel sorted: number of variants	n6	NTG-P-225	
article description B2C (end customer)	an250	NTG-P-226	
legal line	an1000	NTG-P-227	
product has retail price	an1		
J = Yes N = No		NTG-P-228	
euro holes	an1		
J = Yes N = No		NTG-P-229	
TÜV date (certification)	an10		
DD.MM.YYYY 20.05.2015		NTG-P-230	
construction measurement length	n18		
(please note unit in NTG-P-234)		NTG-P-231	Unit in field <unitcode>
construction measurement width	n18		
(please note unit in NTG-P-234)		NTG-P-232	Unit in field <unitcode>
construction measurement height	n18		
(please note unit in NTG-P-234)		NTG-P-233	Unit in field <unitcode>
presentation measurement length	n18		
(please note unit in NTG-P-238)		NTG-P-235	Unit in field <unitcode>
presentation measurement width	n18		
(please note unit in NTG-P-238)		NTG-P-236	Unit in field <unitcode>
presentation measurement height	n18		
(please note unit in NTG-P-238)		NTG-P-237	Unit in field <unitcode>
amount of basic price	an19		
(please note unit in NTG-P-241)		NTG-P-240	Unit in field <unitcode>
b2c brand (former keywords)	an2000	NTG-P-242	
MSRP (manufacturer's suggested retail price) valid from	an10		
DD.MM.YYYY 01.01.2018		NTG-P-243	
MSRP (manufacturer's suggested retail price) valid until	an10		
DD.MM.YYYY 01.01.2018		NTG-P-244	
price fixing periode valid from	an10		
DD.MM.YYYY 01.01.2018		NTG-P-245	
price fixing periode valid until	an10		
DD.MM.YYYY 01.01.2018		NTG-P-246	
battery description3	an35	NTG-P-247	
battery format/code3	an7		
(allowed code: IEC, ANSI or Common)		NTG-P-248	
battery weight3	n18		
(please note unit in NTG-P-308)		NTG-P-249	
battery rechargeable3	an1		
J = Yes N = No		NTG-P-250	
MSRP (manufacturer's suggested retail price) Austria (A)	an10	NTG-P-251	
MSRP (manufacturer's suggested retail price) Switzerland (CH)	an10	NTG-P-252	
article CLP relevant	an1		
J = Yes N = No		NTG-P-253	
signal word	an7		
please use: - attention = ACHTUNG - danger = GEFAHR		NTG-P-254	
danger warnings	an1000	NTG-P-255	
heat exchanger	an1		
J = Yes N = No		NTG-P-256	
small device < 50cm	an1		
J = Yes N = No		NTG-P-257	
small device < 50cm incl. lamp (e.g. LED)	an1		
J = Yes N = No		NTG-P-258	



small device < 50cm incl. gas discharge lamp J = Yes N = No	an1	NTG-P-259	
big device > 50cm J = Yes N = No	an1	NTG-P-260	
big device > 50cm incl. lamp (e.g. LED) J = Yes N = No	an1	NTG-P-261	
big device > 50cm incl. gas discharge lamp J = Yes N = No	an1	NTG-P-262	
fluorescent lamp J = Yes N = No	an1	NTG-P-263	
LED-lamp J = Yes N = No	an1	NTG-P-264	
screens and monitors > 100cm2 J = Yes N = No	an1	NTG-P-265	
IT device < 50m J = Yes N = No	an1	NTG-P-266	
photovoltaics < 50cm J = Yes N = No	an1	NTG-P-267	
photovoltaics > 50cm J = Yes N = No	an1	NTG-P-268	
warning note available J = Yes N = No	an1	NTG-P-269	
age rating required J = Yes N = No	an1	NTG-P-270	
base price required J = Yes N = No	an1	NTG-P-271	
Content / number of parts	an25	NTG-P-273	
USK	an6	NTG-P-275	
FSK	an6	NTG-P-276	
Ball size in inches	n5	NTG-P-277	
Bicycle size in inches	n2	NTG-P-278	
Rolling Bearings (Ball Bearings)	an10	NTG-P-279	
Ready to run J = Yes N = No	an1	NTG-P-280	
Frequency incl. Unit	an 10	NTG-P-281	
Number of channels	n3	NTG-P-282	
Speed in km/h	n5	NTG-P-283	
Track length in meters	n5	NTG-P-284	
Range in meters	n5	NTG-P-285	
Spraying distance (up to) in meters	n5	NTG-P-286	
Number of pages	n4	NTG-P-287	
Cover	an35	NTG-P-288	
Antolin J = Yes N = No	an1	NTG-P-289	
UN number (substance number)	n12	NTG-P-290	
dropshipment price	n15	NTG-P-291	
SEO / tags	an1000	NTG-P-292	
name of the image files: other images, that do not fit the previous image types	an4000	NTG-P-293	
name of the image files: 360 ° image of the article	an500	NTG-P-294	
name of the media files: video	an1000	NTG-P-295	
name of the media files: audio	an500	NTG-P-296	
Bullet Point 1	an300	NTG-P-297	
Bullet Point 2	an300	NTG-P-298	
Bullet Point 3	an300	NTG-P-299	
Bullet Point 4	an300	NTG-P-300	
Bullet Point 5	an300	NTG-P-301	
Bullet Point 6	an300	NTG-P-302	
Bullet Point 7	an300	NTG-P-303	
Bullet Point 8	an300	NTG-P-304	
track  Allowed values are: Z, N, TT, H0, 0, I, II (G)	an6	NTG-P-305	
epoch  Allowed values are: I, II, III, IV, V, VI, VII, etc.	an4	NTG-P-306	

net price valid from DD.MM.YYYY 06.08.2020	an10	NTG-P-307	
batteries exchangeable Y= Yes N= No	an1	NTG-P-309	
media valid until DD.MM.YYYY 06.08.2020	an10	NTG-P-310	
expected date of release DD.MM.YYYY 06.08.2020	an10	NTG-P-311	
attribute group key	n15	NTG-P-312	
status code for BuschData	an1	NTG-P-313	
discount group for BuschData	an1	NTG-P-314	
description of the model	an6000	NTG-P-315	
Ingredients (cosmetics)	an2500	NTG-P-316	
Ingredients (food)	an2500	NTG-P-317	
Solid wood type	an250	NTG-P-318	
Solid wood Country of origin  Please use code list countries. Example: DE  <a href="https://www.network-toys.de/Downloads/">https://www.network-toys.de/Downloads/</a>  see file: Product data code lists	an2	NTG-P-319	
eCom Product description long (SEO)	an6000	NTG-P-320	
eCom Product description long HTML (SEO)	an6000	NTG-P-321	
eCom Product name (SEO)	an500	NTG-P-322	
eCom Images  Name of the image which is optimized for eCommerce. If there is more than one value, please separate by comma.	an4000	NTG-P-323	
Drone class EU  Allowed values: C0 C1 C2 C3 C4 C5 C6	an2	NTG-P-324	
Excel Sheets  Name of the imported excel sheets. If there is more than one value, please separate by comma	an4000	NTG-P-325	
power system (model train)	an100	NTG-P-326	
railroad administration (model train)	an500	NTG-P-327	
model train decoder	an250	NTG-P-328	
buffer capacitor (model train)	an100	NTG-P-329	
smoke set preparation (model train)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-330	
smoke kit number (model train)	an35	NTG-P-331	
Length over buffer in cm (model train)	an35	NTG-P-332	
driven axles (model train)	n2	NTG-P-333	
minimum passable radius (model train)	an20	NTG-P-334	
AC wheelset (model train)	an35	NTG-P-335	
DC wheelset (model train)	an35	NTG-P-336	
ECE standard car seats	an35	NTG-P-337	
I-Size  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-338	
I-Size body size in cm  Allowed values: - bis 80 (to 80cm) - 70-105 (70 to 105 cm) - 100-150 (105 to 150 cm)	an10	NTG-P-339	
Car type list child seats (URL)	an250	NTG-P-340	
Child seat mounting/attachment type  Allowed values: - 3-Punkt-Gurt (3-point safety belt) - 5-Punkt-Gurt (5-point safety belt) - Isofix	an15	NTG-P-341	
Declaration of Conformity  Allowed file/media type: PDF	an500	NTG-P-342	
Stroller Type of tires	an500	NTG-P-343	

Adjustable backrest (stroller)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-344	
Stroller with reclining position  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-345	
Swivel front wheels (stroller)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-346	
Adjustable viewing direction (stroller)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-347	
Protection bar available (stroller)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-348	
Adjustable pushing height (stroller)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-349	
Travel system (stroller)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-350	
Soft carrycot (stroller)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-351	
Handbrake (stroller)  Allowed values: J = JA (YES) Y = YES (JA) N = NEIN (NO)	an1	NTG-P-352	
Product dropshipment capable  J (Ja) Y (Ja) N (Nein / No)	an1	NTG-P-353	
Quantity of batteries included 1	n3	NTG-P-354	
Number of batteries required 1	n3	NTG-P-355	
Quantity of batteries included 2	n3	NTG-P-356	
Number of batteries required 2	n3	NTG-P-357	
Quantity of batteries included 3	n3	NTG-P-358	
Number of batteries required 3	n3	NTG-P-359	
Target group  Allowed values:  Säuglinge Kleinkinder Kindergartenkinder Grundschüler Jugendliche Erwachsene	an50	NTG-P-360	
Authors	an250	NTG-P-361	
Edition	n2	NTG-P-362	
Cover type  Allowed values:  Hardcover Softcover Taschenbuch Paperback Rinbuch	an20	NTG-P-363	
ISBN-13	n13	NTG-P-364	
Publishing house	an200	NTG-P-365	
Biographical notes on the author	an4000	NTG-P-366	
color code	an20	NTG-P-367	
name of the image files:  Main image for online display	an4000	NTG-P-368	
Currency MSRP CH (Switzerland)	an3	NTG-P-369	
Currency MSRP AT (Austria)	an3	NTG-P-370	
Genre	an100	NTG-P-371	
Platform	an100	NTG-P-372	
Hazardous substances	an250	NTG-P-373	

Power source Allowed values: Rechargeable battery Battery Mechanical Mains power Solar	an10	NTG-P-374	
Dropshipment Price valid from TT.MM.JJJJ	an10	NTG-P-375	
Packaging Registration number LUCID	an35	NTG-P-376	
Packaging registration number battery	an35	NTG-P-377	
Aggregate state Allowed values: solid liquid gaseous pasty	an9	NTG-P-378	
Corresponds to the limited hazardous substance quantity J/Y = Ja/Yes N = Nein/No	an1	NTG-P-379	
Storage class Hazardous materials (code list for Hazardous materials)	an4	NTG-P-380	
Pack weight recycled plastic	an10	NTG-P-381	
Application	an4000	NTG-P-382	
Composition	an4000	NTG-P-383	