

Key	Field description	Field type	Field length	Note
NTG-P-001	GLN supplier	Numeric	13	
NTG-P-002	supplier name- Currently not used			
NTG-P-003	GLN producer	Numeric	13	
NTG-P-004	producer name	Alphanumeric	35	
NTG-P-005	supplier number- Currently not used			
NTG-P-006	trader GLN- Currently not used			
NTG-P-007	EAN/GTIN/UPC number	Numeric	14	
NTG-P-008	Bamberger Code	Alphanumeric	4	
NTG-P-009	minimum order quantity	Numeric	15	
NTG-P-010	brand name	Alphanumeric	35	
NTG-P-011	smallest packaging unit whole sale	Numeric	15	
NTG-P-012	smallest packaging unit retail sale	Numeric	15	
NTG-P-013	product number (supplier)	Alphanumeric	35	
NTG-P-014	product number (manufacturer)	Alphanumeric	35	
NTG-P-015	product name	Alphanumeric	250	
NTG-P-016	article sorted	Alphanumeric	1	Dependency: NTG-P-225
NTG-P-017	external group of goods	Alphanumeric	35	
NTG-P-018	sales unit	Alphanumeric	1	
NTG-P-019	type of sales packaging	Alphanumeric	70	
NTG-P-020	GPC code	Numeric	8	
NTG-P-021	recommended accessories	Numeric	14	
NTG-P-022	minimum stock- Currently not used			
NTG-P-023	previous article	Numeric	14	
NTG-P-024	sub brand	Alphanumeric	35	
NTG-P-025	own brand	Alphanumeric	1	
NTG-P-026	article type- Currently not used			
NTG-P-027	product belongs to main item	Numeric	14	
NTG-P-028	package content (according to liquids)	Numeric	18	Dependencies: NTG-P-029
NTG-P-029	quantity unit of package content	Alphanumeric	3	Dependency: NTG-P-028
NTG-P-030	quantity of components	Numeric	15	
NTG-P-031	length of piece (packed) in cm	Numeric	18	
NTG-P-032	width of piece (packed) in cm	Numeric	18	
NTG-P-033	height of piece (packed) in cm	Numeric	18	
NTG-P-034	weight of piece (packed)	Numeric	18	Dependency: NTG-P-035
NTG-P-035	piece - weight unit	Alphanumeric	3	Dependencies: NTG-P-034, NTG-P-037
NTG-P-036	piece volume (packed) in cm <sup>3</sup>	Numeric	18	
NTG-P-037	piece - unit of weight (unpacked)	Numeric	18	Dependency: NTG-P-035
NTG-P-038	length of piece (unpacked) in cm	Numeric	18	
NTG-P-039	width of piece (unpacked) in cm	Numeric	18	
NTG-P-040	height of piece (unpacked) in cm	Numeric	18	
NTG-P-041	tare weight glass	Numeric	18	Dependency: NTG-P-049
NTG-P-042	tare weight tin plate	Numeric	18	Dependency: NTG-P-049
NTG-P-043	tare weight aluminium / other metals	Numeric	18	Dependency: NTG-P-049
NTG-P-044	tare weight natural materials	Numeric	18	Dependency: NTG-P-049
NTG-P-045	tare weight plastic	Numeric	18	Dependency: NTG-P-049
NTG-P-046	tare weight paper	Numeric	18	Dependency: NTG-P-049
NTG-P-047	tare weight carton compounds	Numeric	18	Dependency: NTG-P-049
NTG-P-048	tare weight other compounds	Numeric	18	Dependency: NTG-P-049
NTG-P-049	weight unit for tare weight	Alphanumeric	3	Dependencies: NTG-P-041, NTG-P-042, NTG-P-043, NTG-P-044, NTG-P-045, NTG-P-046, NTG-P-047, NTG-P-048, NTG-P-381
NTG-P-050	packaging EAN	Numeric	14	
NTG-P-051	weight of outer carton (in KG)	Numeric	18	
NTG-P-052	length of outer carton	Numeric	18	Dependency: NTG-P-214
NTG-P-053	width of outer carton	Numeric	18	Dependency: NTG-P-214
NTG-P-054	height of outer carton	Numeric	18	Dependency: NTG-P-214
NTG-P-055	volume of outer carton	Numeric	18	

NTG-P-056	pieces in transport carton	Numeric	15	
NTG-P-057	quantity in outer carton	Numeric	15	
NTG-P-058	quantity on pallet	Numeric	15	
NTG-P-059	quantity on C20	Numeric	15	
NTG-P-060	quantity on C40	Numeric	15	
NTG-P-061	quantity on CHI	Numeric	15	
NTG-P-062	quantity in truck	Numeric	15	
NTG-P-063	bulky goods	Alphanumeric	1	

NTG-P-064	number of quantity packages	Numeric	15	
NTG-P-065	marking 'conveyable'	Alphanumeric	1	
NTG-P-066	regular delivery time in days	Numeric	3	
NTG-P-067	MSRP (manufacturer's suggested retail price)	Alphanumeric	15	
NTG-P-068	VAT – Value added tax	Numeric	5	
NTG-P-069	currency	Alphanumeric	3	
NTG-P-070	price fixing	Alphanumeric	1	
NTG-P-071	predetermined price	Alphanumeric	10	
NTG-P-072	currency code- Currently not used			
NTG-P-073	date of publication	Alphanumeric	10	
NTG-P-074	Starting date of availability (available from)	Alphanumeric	10	
NTG-P-075	Availability sending date (available up to)	Alphanumeric	10	
NTG-P-076	list price	Alphanumeric	18	
NTG-P-077	gender (target group)	Alphanumeric	1	
NTG-P-078	age rating	Alphanumeric	3	Dependency: NTG-P-270, NTG-P-212
NTG-P-079	recommended minimum age	Numeric	4	Dependency: NTG-P-192
NTG-P-080	recommended maximum age	Numeric	4	Dependency: NTG-P-193
NTG-P-081	number of players minimum	Numeric	3	
NTG-P-082	number of players maximum	Numeric	3	
NTG-P-083	playing time	Alphanumeric	35	
NTG-P-084	number of pieces (e.g. puzzles)- Currently not used	Numeric	35	
NTG-P-085	minimum weight child (in KG)	Numeric	3	
NTG-P-086	maximum weight child (in KG)	Numeric	3	
NTG-P-087	scale	Alphanumeric	35	
NTG-P-088	colors	Alphanumeric	100	
NTG-P-089	customs tariff number	Numeric	11	
NTG-P-090	license	Alphanumeric	1000	
NTG-P-091	clothing size	Alphanumeric	35	
NTG-P-092	range description	Alphanumeric	35	
NTG-P-093	trademark / copyright	Alphanumeric	35	
NTG-P-094	collection name	Alphanumeric	35	
NTG-P-095	DVD regional code	Alphanumeric	3	
NTG-P-096	editor / publisher	Alphanumeric	35	
NTG-P-097	country of origin (code list for countries)	Alphanumeric	2	
NTG-P-098	material code	Numeric	15	
NTG-P-099	material description	Alphanumeric	250	
NTG-P-100	series code	Numeric	15	
NTG-P-101	series description	Alphanumeric	35	
NTG-P-102	sales program code	Numeric	15	
NTG-P-103	sales program description	Alphanumeric	35	
NTG-P-104	marking ICTI	Alphanumeric	1	
NTG-P-105	battery necessary	Alphanumeric	1	
NTG-P-106	battery included	Alphanumeric	1	Dependencies: NTG-P-107, NTG-P-222
NTG-P-107	quantity of batteries included	Numeric	15	Dependency: NTG-P-106
NTG-P-108	quantity of batteries needed	Alphanumeric	35	
NTG-P-109	battery description1	Alphanumeric	35	
NTG-P-110	battery format/code1 (code list batteries)	Alphanumeric	35	
NTG-P-111	battery weight1	Numeric	18	Dependency: NTG-P-308
NTG-P-112	battery rechargeable1	Alphanumeric	1	
NTG-P-113	electric waste	Alphanumeric	1	
NTG-P-114	WEEE dangerous goods	Alphanumeric	1	
NTG-P-115	WEEE electrical device	Alphanumeric	1	
NTG-P-116	WEEE device code, country code - Currently not used			
NTG-P-117	WEEE country code- Currently not used			
NTG-P-118	WEEE device category	Numeric	15	
NTG-P-119	WEEE type of category	Numeric	15	

NTG-P-120	WEEE category description	Alphanumeric	150	
NTG-P-121	dangerous goods code	Alphanumeric	7	Dependency: NTG-P-224
NTG-P-122	VOC- Currently not used			
NTG-P-123	VOC (mg)	Numeric	15	
NTG-P-124	VOC (%)	Numeric	15	
NTG-P-125	eco label	Alphanumeric	35	
NTG-P-126	CE - marking and regulation	Alphanumeric	1	Dependencies: NTG-P-127
NTG-P-127	CE - guideline	Alphanumeric	35	Dependency: NTG-P-126
NTG-P-128	TÜV - valid until	Alphanumeric	10	
NTG-P-129	TÜV - test center	Alphanumeric	35	
NTG-P-130	GS - valid until	Alphanumeric	10	
NTG-P-131	GS - test center	Alphanumeric	35	
NTG-P-132	MHD marking	Numeric	15	
NTG-P-133	Warranty	Alphanumeric	35	
NTG-P-134	Green Dot mark	Alphanumeric	1	
NTG-P-135	safety information	Alphanumeric	200	Dependency: NTG-P-253
NTG-P-136	warning	Alphanumeric	5000	Dependency: NTG-P-269
NTG-P-137	textile identification	Alphanumeric	300	
NTG-P-138	care labelling	Alphanumeric	300	
NTG-P-139	type of packaging- Currently not used			
NTG-P-140	design	Alphanumeric	35	
NTG-P-141	textile labelling 1-5 content	Alphanumeric	300	
NTG-P-142	textile labelling 1-5 code	Alphanumeric	35	
NTG-P-143	ABC marking	Alphanumeric	1	
NTG-P-144	material requirements marking- Currently not used			
NTG-P-145	temperature marking	Alphanumeric	3	
NTG-P-146	season	Alphanumeric	35	
NTG-P-147	no label print	Alphanumeric	1	
NTG-P-148	name - award1	Alphanumeric	35	
NTG-P-149	date - award1	Alphanumeric	10	
NTG-P-150	name - award2	Alphanumeric	35	
NTG-P-151	date - award2	Alphanumeric	10	
NTG-P-152	name - award3	Alphanumeric	35	
NTG-P-153	date - award3	Alphanumeric	10	
NTG-P-154	item description of the trader	Alphanumeric	35	
NTG-P-155	description of function	Alphanumeric	4000	
NTG-P-156	B2C text (final consumer)	Alphanumeric	4000	
NTG-P-157	sales text	Alphanumeric	4000	
NTG-P-158	check text	Alphanumeric	3000	
NTG-P-159	text language- Currently not used			
NTG-P-160	items in online portals	Alphanumeric	1000	
NTG-P-161	name of the image files: unpacked product	Alphanumeric	1000	
NTG-P-162	language flag for all texts	Alphanumeric	3	
NTG-P-163	VAT – Value added tax- Currently not used			
NTG-P-164	ready for sale	Alphanumeric	1	
NTG-P-165	language versions of service manuals	Alphanumeric	500	
NTG-P-166	language versions warnings	Alphanumeric	200	Dependency: NTG-P-269
NTG-P-167	quantity per pallet layer	Numeric	15	
NTG-P-168	name of the image files: Perspective packaging / 3D	Alphanumeric	1000	
NTG-P-169	name of the image files: front view of packaging / planogram view / 2D	Alphanumeric	1000	
NTG-P-170	name of the image files: Product and packaging on a picture	Alphanumeric	1000	
NTG-P-171	name of the image files: display image	Alphanumeric	1000	
NTG-P-172	name of the image files: Product with person / child	Alphanumeric	1000	

NTG-P-173	name of the image files: product with environment (without person / child)	Alphanumeric	1000	
NTG-P-174	name of the image files: rear view of packaging (2D or 3D)	Alphanumeric	1000	
NTG-P-175	name of the media file: company logo	Alphanumeric	500	
NTG-P-176	name of the media file: brand logo	Alphanumeric	500	
NTG-P-177	name of the media file: license logo	Alphanumeric	500	
NTG-P-178	name - pdf file: product specification sheet	Alphanumeric	500	
NTG-P-179	name - pdf file: instruction manual	Alphanumeric	500	
NTG-P-180	name - pdf file: material safety data sheet	Alphanumeric	500	
NTG-P-181	link / URL media - Currently not used	Alphanumeric	200	
NTG-P-182	battery description2	Alphanumeric	35	
NTG-P-183	battery format/code2 (code list batteries)	Alphanumeric	35	
NTG-P-184	battery weight2	Numeric	18	Dependency: NTG-P-308
NTG-P-185	battery rechargeable2	Alphanumeric	1	
NTG-P-186	magnets which could be swallowed	Alphanumeric	1	
NTG-P-187	WEEE share in grams	Numeric	18	
NTG-P-188	alternative article number	Alphanumeric	35	
NTG-P-189	reference value	Numeric	15	
NTG-P-190	power efficiency classification: lamps- Currently not used			
NTG-P-191	power efficiency classification: power efficiency category	Alphanumeric	4	Dependency: NTG-P-211
NTG-P-192	unit of recommended minimum age	Alphanumeric	6	Dependencies: NTG-P-079
NTG-P-193	unit of recommended maximum age	Alphanumeric	6	Dependencies: NTG-P-080
NTG-P-194	saleable for	Alphanumeric	200	
NTG-P-195	label	Alphanumeric	35	
NTG-P-196	average delivery time (days)	Numeric	3	
NTG-P-197	charged freight costs	Numeric	15	
NTG-P-198	distribution by	Alphanumeric	35	
NTG-P-199	palette measurement length	Numeric	18	Dependency: NTG-P-215
NTG-P-200	palette measurement height	Numeric	18	Dependency: NTG-P-215
NTG-P-201	palette measurement width	Numeric	18	Dependency: NTG-P-215
NTG-P-202	language packaging	Alphanumeric	200	
NTG-P-203	Article description Busch-data-format	Alphanumeric	29	
NTG-P-204	carrying capacity max.	Numeric	18	
NTG-P-205	diameter	Numeric	5	
NTG-P-206	Function light	Alphanumeric	3	
NTG-P-207	Function sound	Alphanumeric	3	
NTG-P-208	Function music	Alphanumeric	3	
NTG-P-209	Content / number parts- Currently not used			
NTG-P-210	product mode	Alphanumeric	35	
NTG-P-211	power efficiency classification existing	Alphanumeric	1	Dependencies: NTG-P-191
NTG-P-212	age rating unit	Alphanumeric	6	Dependency: NTG-P-270, NTG-P-078
NTG-P-213	diameter unit	Alphanumeric	3	
NTG-P-214	outer carton unit l/w/h	Alphanumeric	3	Dependencies: NTG-P-052, NTG-P-053, NTG-P-054
NTG-P-215	palette measurement unit l/w/h	Alphanumeric	3	Dependencies: NTG-P-199, NTG-P-200, NTG-P-201
NTG-P-216	GTIN outer carton (retail trade)	Numeric	14	
NTG-P-217	sales unit VEDES whole sale in pieces ( <i>is field will only be forwarded to VEDES company, no other retailer</i> ) - Currently not used			
NTG-P-218	Sale from B2B (DD.MM.YYYY)	Alphanumeric	10	
NTG-P-219	Sale from (DD.MM.YYYY)	Alphanumeric	10	
NTG-P-220	Advertisement from ab B2C (DD.MM.YYYY)	Alphanumeric	10	
NTG-P-221	Sale from B2C (Street Date) (DD.MM.YYYY)	Alphanumeric	10	
NTG-P-222	GRS number	Alphanumeric	35	Dependency: NTG-P-106
NTG-P-223	WEEE registration number	Alphanumeric	12	
NTG-P-224	GGVS article (dangerous goods)	Alphanumeric	1	Dependencies: NTG-P-121

NTG-P-225	Articel sorted: Number of variants	Numeric	6	Dependencies: NTG-P-016
NTG-P-226	Article description B2C (end customer)	Alphanumeric	250	
NTG-P-227	Legal Line	Alphanumeric	1000	
NTG-P-228	Product has retail price	Alphanumeric	1	
NTG-P-229	euro holes	Alphanumeric	1	
NTG-P-230	TÜV date	Alphanumeric	10	
NTG-P-231	construction measurement length	Numeric	18	Dependency: NTG-P-234
NTG-P-232	construction measurement width	Numeric	18	Dependency: NTG-P-234
NTG-P-233	construction measurement height	Numeric	18	Dependency: NTG-P-234
NTG-P-234	construction measurement unit l/w/h	Alphanumeric	3	Dependencies: NTG-P-231, NTG-P-232, NTG-P-233
NTG-P-235	presentation measurement length	Numeric	18	Dependency: NTG-P-238
NTG-P-236	presentation measurement width	Numeric	18	Dependency: NTG-P-238
NTG-P-237	presentation measurement height	Numeric	18	Dependency: NTG-P-238
NTG-P-238	presentation measurement unit l/w/h	Alphanumeric	3	Dependencies: NTG-P-235, NTG-P-236, NTG-P-237
NTG-P-239	total quantity of the article on the palette- Currently not used			
NTG-P-240	base price amount	Numeric	19	Dependency: NTG-P-271
NTG-P-241	base price amount unit	Alphanumeric	3	Dependency: NTG-P-271
NTG-P-242	b2c brand (former: keywords)	Alphanumeric	2000	
NTG-P-243	MSRP (manufacturer's suggested retail price) valid from (DD.MM.YYYY)	Alphanumeric	10	
NTG-P-244	MSRP (manufacturer's suggested retail price) valid until (DD.MM.YYYY)	Alphanumeric	10	
NTG-P-245	price fixing periode valid from (DD.MM.YYYY)	Alphanumeric	10	
NTG-P-246	price fixing periode valid until (DD.MM.YYYY)	Alphanumeric	10	
NTG-P-247	battery description3	Alphanumeric	35	
NTG-P-248	battery format/code3	Alphanumeric	35	
NTG-P-249	battery weight3	Numeric	18	Dependency: NTG-P-308
NTG-P-250	battery rechargeable3	Alphanumeric	1	
NTG-P-251	MSRP (manufacturer's suggested retail price) Austria (AT)	Alphanumeric	15	
NTG-P-252	MSRP (manufacturer's suggested retail price) Switzerland (CH)	Alphanumeric	15	
NTG-P-253	article CLP relevant	Alphanumeric	1	Dependencies: NTG-P-135, NTG-P-254, NTG-P-255
NTG-P-254	signal word	Alphanumeric	7	Dependency: NTG-P-253
NTG-P-255	danger warnings	Alphanumeric	1000	Dependency: NTG-P-253
NTG-P-256	heat exchanger	Alphanumeric	1	
NTG-P-257	small device < 50cm	Alphanumeric	1	
NTG-P-258	small device < 50cm incl. lamp (e.g. LED)	Alphanumeric	1	
NTG-P-259	small device < 50cm incl. gas discharge lamp	Alphanumeric	1	
NTG-P-260	big device > 50cm	Alphanumeric	1	
NTG-P-261	big device > 50cm incl. lamp (e.g. LED)	Alphanumeric	1	
NTG-P-262	big device > 50cm incl. gas discharge lamp	Alphanumeric	1	
NTG-P-263	fluorescent lamp	Alphanumeric	1	
NTG-P-264	LED-lamp	Alphanumeric	1	
NTG-P-265	screens and monitors > 100cm2	Alphanumeric	1	
NTG-P-266	IT device < 50m	Alphanumeric	1	
NTG-P-267	photovoltaics < 50cm	Alphanumeric	1	
NTG-P-268	photovoltaics > 50cm	Alphanumeric	1	
NTG-P-269	warning note available	Alphanumeric	1	Dependencies: NTG-P-136, NTG-P-166
NTG-P-270	age rating required	Alphanumeric	1	Dependencies: NTG-P-078, NTG-P-212
NTG-P-271	base price required	Alphanumeric	1	Dependencies: NTG-P-240, NTG-P-241
NTG-P-272	Unit to carrying capacity max.	Alphanumeric	3	
NTG-P-273	Content / number of parts	Alphanumeric	25	
NTG-P-274	Unit to content / number of parts	Alphanumeric	10	
NTG-P-275	USK	Alphanumeric	6	
NTG-P-276	FSK	Alphanumeric	6	
NTG-P-277	Ball size in inches	Numeric	5	

NTG-P-278	Bicycle size in inches	Numeric	2	
NTG-P-279	Rolling Bearings (Ball Bearings)	Alphanumeric	10	
NTG-P-280	Ready to run	Alphanumeric	1	
NTG-P-281	Frequency incl. Unit	Alphanumeric	10	
NTG-P-282	Number of channels	Numeric	3	
NTG-P-283	Speed in km/h	Numeric	5	
NTG-P-284	Track length in meters	Numeric	5	
NTG-P-285	Range in meters	Numeric	5	
NTG-P-286	Spraying distance (up to) in meters	Numeric	5	
NTG-P-287	Number of pages	Numeric	4	
NTG-P-288	Cover	Alphanumeric	35	
NTG-P-289	Antolin	Alphanumeric	1	
NTG-P-290	UN number (substance number)	Numeric	12	
NTG-P-291	Dropshipment price	Numeric	15	Dependencies: NTG-P-375
NTG-P-292	SEO / tags	Alphanumeric	1000	
NTG-P-293	name of the image files: other images, that do not fit the previous image types	Alphanumeric	4000	
NTG-P-294	name of the image files: 360 ° image of the article	Alphanumeric	200	
NTG-P-295	name of the media files: video	Alphanumeric	1000	
NTG-P-296	name of the media files: audio	Alphanumeric	500	
NTG-P-297	Bullet Point 1	Alphanumeric	300	
NTG-P-298	Bullet Point 2	Alphanumeric	300	
NTG-P-299	Bullet Point 3	Alphanumeric	300	
NTG-P-300	Bullet Point 4	Alphanumeric	300	
NTG-P-301	Bullet Point 5	Alphanumeric	300	
NTG-P-302	Bullet Point 6	Alphanumeric	300	
NTG-P-303	Bullet Point 7	Alphanumeric	300	
NTG-P-304	Bullet Point 8	Alphanumeric	300	
NTG-P-305	track	Alphanumeric	6	
NTG-P-306	epoch	Alphanumeric	4	
NTG-P-307	net price valid from	Alphanumeric	10	
NTG-P-308	unit für battery weight 1-3	Alphanumeric	3	Dependencies: NTG-P-111, NTG-P-184, NTG-P-249
NTG-P-309	batteries exchangable	Alphanumeric	1	
NTG-P-310	media valid until	Alphanumeric	10	
NTG-P-311	expected date of release	Alphanumeric	10	
NTG-P-312	attribute group key	Numeric	15	
NTG-P-313	status code for BuschData	Alphanumeric	1	
NTG-P-314	discount group for BuschData	Alphanumeric	1	
NTG-P-315	description of the model	Alphanumeric	6000	
NTG-P-316	Ingredients (cosmetics)	Alphanumeric	2500	
NTG-P-317	Ingredients (food)	Alphanumeric	2500	
NTG-P-318	Solid wood type	Alphanumeric	250	
NTG-P-319	Solid wood Country of origin	Alphanumeric	2	
NTG-P-320	eCom product description long (SEO)	Alphanumeric	6000	
NTG-P-321	eCom product description long HTML (SEO)	Alphanumeric	6000	
NTG-P-322	eCom product name (SEO)	Alphanumeric	500	
NTG-P-323	eCom images	Alphanumeric	4000	
NTG-P-324	Drone class EU	Alphanumeric	2	
NTG-P-325	Excel Sheets	Alphanumeric	1000	
NTG-P-326	Power system (model railroad)	Alphanumeric	100	
NTG-P-327	Railroad management (model railroad)	Alphanumeric	100	
NTG-P-328	Model railway decoder	Alphanumeric	500	
NTG-P-329	Buffer capacitor (model railroad)	Alphanumeric	100	
NTG-P-330	Smoke set preparation (model railroad)	Alphanumeric	2	
NTG-P-331	Smoke set number (model railroad)	Alphanumeric	35	
NTG-P-332	LüP - length over buffer in cm (model railroad)	Alphanumeric	35	

NTG-P-333	Driven axles (model railroad)	Numeric	2	
NTG-P-334	Minimum drivable radius (model railroad)	Alphanumeric	20	
NTG-P-335	AC wheelset (model railroad)	Alphanumeric	35	
NTG-P-336	DC wheelset (model railroad)	Alphanumeric	35	
NTG-P-337	ECE standard car seats	Alphanumeric	35	
NTG-P-338	I-Size	Alphanumeric	10	
NTG-P-339	I-Size body height in cm	Alphanumeric	11	
NTG-P-340	Vehicle type list child seats (URL)	Alphanumeric	250	
NTG-P-341	Child seat mounting/attachment type	Alphanumeric	15	
NTG-P-342	Declaration of Conformity	Alphanumeric	500	
NTG-P-343	Stroller tires type	Alphanumeric	500	
NTG-P-344	Adjustable backrest (stroller)	Alphanumeric	1	
NTG-P-345	Stroller with reclining position	Alphanumeric	1	
NTG-P-346	Swivel front wheels (stroller)	Alphanumeric	1	
NTG-P-347	Adjustable viewing direction (stroller)	Alphanumeric	1	
NTG-P-348	Protection bar available (stroller)	Alphanumeric	1	
NTG-P-349	Adjustable push height (stroller)	Alphanumeric	1	
NTG-P-350	Travel system (stroller)	Alphanumeric	1	
NTG-P-351	Soft carrycot (stroller)	Alphanumeric	1	
NTG-P-352	Handbrake (stroller)	Alphanumeric	1	
NTG-P-353	Product dropshipment capable	Alphanumeric	2	
NTG-P-354	Quantity of batteries included 1	Numeric	3	
NTG-P-355	Number of batteries required 1	Numeric	3	
NTG-P-356	Quantity of batteries included 2	Numeric	3	
NTG-P-357	Number of batteries required 2	Numeric	3	
NTG-P-358	Quantity of batteries included 3	Numeric	3	
NTG-P-359	Number of batteries required 3	Numeric	3	
NTG-P-360	Target group	Alphanumeric	50	
NTG-P-361	Authors	Alphanumeric	250	
NTG-P-362	Cover type	Alphanumeric	20	
NTG-P-363	Edition	Numeric	2	
NTG-P-364	ISBN-13	Alphanumeric	17	
NTG-P-365	Publisher	Alphanumeric	200	
NTG-P-366	Biographical notes on the author	Alphanumeric	4000	
NTG-P-367	Color Code	Alphanumeric	20	
NTG-P-368	Main picture for online display	Alphanumeric	4000	
NTG-P-369	Currency MSRP CH (Switzerland)	Alphanumeric	3	
NTG-P-370	Currency MSRP AT (Austria)	Alphanumeric	3	
NTG-P-371	Genre	Alphanumeric	100	
NTG-P-372	Platform	Alphanumeric	100	
NTG-P-373	Hazardous substances	Alphanumeric	250	
NTG-P-374	Power source	Alphanumeric	10	
NTG-P-375	Dropshipment Price valid from	Alphanumeric	10	Dependencies: NTG-P-291
NTG-P-376	Packaging Registration number LUCID	Alphanumeric	35	
NTG-P-377	packaging registration number battery	Alphanumeric	35	
NTG-P-378	aggregate state	Alphanumeric	9	
NTG-P-379	Corresponds to the limited hazardous substance quantity	Alphanumeric	1	
NTG-P-380	Storage class Hazardous materials	Alphanumeric	4	
NTG-P-381	Pack weight recycled plastic	Alphanumeric	10	Dependencies: NTG-P-049
NTG-P-382	Application	Alphanumeric	4000	
NTG-P-383	Composition	Alphanumeric	4000	